



Attach student photo here

## DIABETES MEDICATION ADMINISTRATION FORM

Provider Medication Order Form – Office of School Health – School Year 2019-2020

**DUE: May 31<sup>st</sup>. Forms submitted after May 31<sup>st</sup> may delay processing for new school year. Please fax all DMAFs to 347-396-8932/8945.**

Student Last Name	First Name	MI	Date of birth	<input type="checkbox"/> Male <input type="checkbox"/> Female	OSIS #
School (include ATSDBN/name, address and borough)			DOE District	Grade	Class

### HEALTH CARE PRACTITIONER COMPLETES BELOW

Type 1 Diabetes  
  Type 2 Diabetes  
  non-Type 1/Type 2 Diabetes  
  Other Diagnosis: \_\_\_\_\_

Recent A1C: Date / / Result %

Orders written will be for Sept. '19 through Aug '20 school year unless checked here:

Current School Year '18-'19  
 \_\_\_\_\_

<p><b>Emergency Orders</b></p> <p><b>Severe Hypoglycemia</b> Administer <b>Glucagon</b> and call 911  <input type="checkbox"/> 1 mg SC/IM   <input type="checkbox"/> ___mg SC/IM</p> <p>Give PRN: unconscious, unresponsive, seizure, or inability to swallow <b>EVEN</b> if bG is unknown. Turn onto left side to prevent aspiration.</p> <p><i>For Independent or supervised student: a trained adult will carry glucagon on school trips.</i></p> <p><b>Risk for Ketones or Diabetic Ketoacidosis (DKA)</b>  <input type="checkbox"/> Test ketones if bG &gt; ___mg/dl, or if vomiting, or fever &gt; 100.5F <b>OR</b>  <input type="checkbox"/> Test ketones if bG &gt; ___mg/dl for the 2<sup>nd</sup> time that day (at least 2 hrs. apart), or if vomiting or fever &gt; 100.5F        &gt; If <b>small or trace</b> give water; re-test ketones &amp; bG in 2 hrs or ___ hrs        &gt; If initial or retest ketones are <b>moderate or large</b>, give water:        Call parent and Endocrinologist; <input type="checkbox"/> <b>NO GYM</b> If ketones and vomiting, unable to take PO and MD not available, <b>CALL 911</b>  <input type="checkbox"/> Give insulin correction dose if &gt; 2 hrs or ___ hours since last insulin.</p>	<p><b>Blood Glucose (bG) Monitoring Skill Level</b></p> <p> <input type="checkbox"/> Nurse / adult must check bG.  <input type="checkbox"/> Student to check bG with adult supervision.  <input type="checkbox"/> Student may check bG without supervision.       </p> <p><b>Insulin Administration Skill Level</b></p> <p> <input type="checkbox"/> Nurse-Dependent Student: nurse must administer medication  <input type="checkbox"/> Supervised student: student self-administers, under adult supervision  <input type="checkbox"/> Independent Student: Self-carry / Self-administer (<i>Initial below</i>)  <b>NOTE: Trip nurse not required for supervised or independent students.</b> </p> <p>I attest student demonstrated the ability to self-administer the prescribed medication effectively for school, field trips, &amp; school-sponsored events</p> <p style="text-align: right;">PROVIDER INITIALS</p>
---	---

**bG Monitoring:** Specify times to test in school (must match times for treatment and/or insulin)  Breakfast  Lunch  Snack  Gym  PRN

Use CGM readings (must complete DMAF Addendum form)

**Hypoglycemia:** Check all boxes needed. Must include at least one treatment plan.

For bG < \_\_\_mg/dl give \_\_\_ gm rapid carbs at:  Breakfast  Lunch  Snack  Gym  PRN  
 Repeat bG testing in 15 or \_\_\_ min. If bG still < \_\_\_mg/dl repeat carbs and retesting until bG > \_\_\_mg/dl.

For bG < \_\_\_mg/dl give \_\_\_ gm rapid carbs at:  Breakfast  Lunch  Snack  Gym  PRN  
 Repeat bG testing in 15 or \_\_\_ min. If bG still < \_\_\_mg/dl repeat carbs and retesting until bG > \_\_\_mg/dl.

For bG < \_\_\_mg/dl pre-gym, **no gym**       For bG < \_\_\_mg/dl  Pre-gym;  PRN; treat hypoglycemia then give snack.

Snack orders on DMAF Addendum

15 gm rapid carbs = 4 glucose tabs  
= 1 glucose gel tube = 4 oz. juice

**Insulin is given before food unless otherwise noted here:**  Give insulin after:  Breakfast  Lunch  Snack       Give snack before gym

**Mid-range Glycemia:**

**Hyperglycemia:**

**Insulin is given before food unless otherwise noted here:**  Give insulin after:  Breakfast  Lunch  Snack       Give correction dose pre-meal and carb coverage after meal

No Gym For bG > \_\_\_mg/dL  Pre-gym and/or  PRN  
 For bG > \_\_\_mg/dL PRN, Give insulin correction dose if > \_\_\_ hrs. since last insulin  
 For bG meter reading "High" use bG value of \_\_\_ mg/dl. If not specified, Nurse will use bG value of 500 mg/dl.

<p><b>Insulin orders:</b> Name of Insulin: _____</p> <p> <input type="checkbox"/> No Insulin in School  <input type="checkbox"/> No Insulin at Snack time       </p> <p><b>Delivery Method:</b>  <input type="checkbox"/> Syringe/Pen  <input type="checkbox"/> Pump (Brand): _____  <input type="checkbox"/> Smart Pen – use pen suggestions  <input type="checkbox"/> Parent may have input into insulin dosing. See DMAF Addendum.       </p>	<p><b>Insulin Calculation Method:</b></p> <p> <input type="checkbox"/> Carb coverage <b>ONLY</b> at: <input type="checkbox"/> Breakfast <input type="checkbox"/> Lunch <input type="checkbox"/> Snack  <input type="checkbox"/> Correction dose <b>ONLY</b> at: <input type="checkbox"/> Breakfast <input type="checkbox"/> Lunch <input type="checkbox"/> Snack  <input type="checkbox"/> Carb coverage <b>plus</b> correction dose when bG &gt; Target <b>AND</b> at least 2 hrs or ___ hrs. since last insulin at  <input type="checkbox"/> Breakfast <input type="checkbox"/> Lunch <input type="checkbox"/> Snack       </p> <p>Correction dose calculated using: <input type="checkbox"/> ISF <b>or</b> <input type="checkbox"/> Sliding Scale</p> <p> <input type="checkbox"/> Fixed Dose (see <b>Other Orders</b>) (See Addendum)  <input type="checkbox"/> Sliding Scale (See <b>Addendum</b>)  <input type="checkbox"/> If Gym/recess is immediately following lunch, subtract ___ gm carbs from lunch carb calculation.  <i>Use pre-treatment bG to calculate insulin dose unless otherwise ordered.</i> </p>	<p><b>Insulin Calculation Directions:</b> (give number, not range)</p> <p>Target bG = ___ mg/dl</p> <p><b>Insulin Sensitivity Factor (ISF):</b>        1 unit decreases bG by ___ mg/dl (time: ___ to ___)        1 unit decreases bG by ___ mg/dl (time: ___ to ___)</p> <p><i>If only one ISF, time will be 8am to 4pm if not specified.</i></p> <p><b>Insulin to Carb Ratio (I:C):</b>        Lunch: 1 unit per ___ grams carbs OR time: ___ to ___        Snack: 1 unit per ___ grams carbs OR time: ___ to ___        Breakfast: 1 unit per ___ grams carbs OR time: ___ to ___</p>
--	--	--

**Carb Coverage:** # gm carb in meal = X units insulin      **Correction Dose using ISF:** bG – Target bG = X units insulin ISF  
**# gm carb in I:C**

Round DOWN insulin dose to closest 0.5 unit for syringe/pen, or nearest whole unit if syringe/pen doesn't have ½ unit marks; unless otherwise instructed by PCP/Endocrinologist. Round DOWN to nearest 0.1 unit for pumps, unless following pump recommendations or PCP/Endocrinologist orders.

<p><b>For Pumps - Basal Rate in school:</b></p> <p>       ___:___ AM/PM to ___:___ AM/PM ___ units/hr        ___:___ AM/PM to ___:___ AM/PM ___ units/hr        ___:___ AM/PM to ___:___ AM/PM ___ units/hr     </p> <p> <input type="checkbox"/> Student on FDA approved hybrid closed loop pump-basal rate variable per pump.  <input type="checkbox"/> Suspend/disconnect pump for gym  <input type="checkbox"/> Suspend pump for hypoglycemia not responding to treatment for ___ min.     </p>	<p><b>Additional Pump Instructions:</b></p> <p> <input type="checkbox"/> Follow pump recommendations for bolus dose (if not using pump recommendations, will round down to nearest 0.1 unit)  <input type="checkbox"/> For bG &gt; ___ mg/dl that has not decreased in ___ hours after correction, consider pump failure and notify parents.  <input type="checkbox"/> For suspected pump failure: SUSPEND pump, give insulin by syringe or pen, and notify parents.  <input type="checkbox"/> For pump failure, only give correction dose if &gt; ___ hrs since last insulin     </p>
---	--

**Other Orders:** \_\_\_\_\_

Home Medications (in case of emergency e.g. school lock down)				
Medication	Dose	Frequency	Time	Route
Insulin:				
Other:				

<b>Health Care Practitioner Name</b> LAST FIRST (Please print and circle one: MD, DO, NP, PA) Address NYS License # (Required)      NPI #	Signature Date	Tel. (____) ____-____-____      Fax. (____) ____-____-____ CDC & AAP recommend annual seasonal influenza vaccination for all children diagnosed with diabetes.
--	-------------------	---

## DIABETES MEDICATION ADMINISTRATION FORM

Provider Medication Order Form – Office of School Health – School Year **2019-2020**

DUE: May 31<sup>st</sup>. Forms submitted after May 31<sup>st</sup> may delay processing for new school year. Please fax all DMAFs to 347-396-8932/8945.

### PARENTS/GUARDIANS FILL BELOW

#### BY SIGNING BELOW, I AGREE TO THE FOLLOWING:

1. I consent to the nurse giving my child's prescribed medicine, and the nurse/trained staff checking their blood sugar, and treating their low blood sugar based on the directions and skill level determined by my child's health care practitioner. These actions may be performed on school grounds or during school trips.
2. I also consent to any equipment needed for my child's medicine being stored and used at school.
3. I understand that:
  - I must give the school nurse my child's medicine, snacks, equipment, and supplies and must replace such medicine, snacks, equipment and supplies as needed. OSH recommends the use of safety lancets and other safety needle devices and supplies to check my child's blood sugar levels and give insulin.
  - **All prescription and "over-the-counter" medicine I give the school must be new, unopened, and in the original bottle or box. I will provide the school with current, unexpired medicine for my child's use during school days.**
    - Prescription medicine must have the original pharmacy label on the box or bottle. Label must include: 1) my child's name, 2) pharmacy name and phone number, 3) my child's health care practitioner's name, 4) date, 5) number of refills, 6) name of medicine, 7) dosage, 8) when to take the medicine, 9) how to take the medicine and 10) any other directions.
  - I must **immediately** tell the school nurse about any change in my child's medicine or the health care practitioner's instructions.
  - OSH and its agents involved in providing the above health service(s) to my child are relying on the accuracy of the information in this form.
  - By signing this Medication Administration Form (MAF), I authorize OSH to provide diabetes-related health services to my child. These services may include but are not limited to a clinical assessment or a physical exam by an OSH health care practitioner or nurse.
  - The medication order in this MAF expires at the end of my child's school year, which may include the summer session, or when I give the school nurse a new MAF (whichever is earlier).
  - OSH and the Department of Education (DOE) are responsible for making sure that my child can safely test his or her blood sugar.
  - This form represents my consent and request for the diabetes services described on this form. It is not an agreement by OSH to provide the requested services. If OSH decides to provide these services, my child may also need a Student Accommodation Plan. This plan will be completed by the school.
  - For the purposes of providing care or treatment for my child, OSH may obtain any other information they think is needed about my child's medical condition, medication or treatment. OSH may obtain this information from any health care practitioner, nurse, or pharmacist who has given my child health services.

#### FOR SELF-ADMINISTRATION OF MEDICINE (INDEPENDENT STUDENTS ONLY):

- I certify/confirm that my child has been fully trained and can take medicine on his or her own. I consent to my child carrying, storing and giving him or herself the medicine prescribed on this form in school. I am responsible for giving my child this medicine in bottles or boxes as described above. I am also responsible for monitoring my child's medication use, and for all results of my child's use of this medicine in school. The school nurse will confirm my child's ability to carry and give him or herself medicine. I also agree to give the school "back up" medicine in a clearly labeled box or bottle.
- I consent to the school nurse or trained school staff giving my child medicine if my child is temporarily unable to carry and give him or herself medicine.

**NOTE: It is preferred that you send medication and equipment for your child on a school trip day and for off-site school activities.**

Student Last Name	First Name	MI	Date of birth ___/___/_____
School ATSDBN/Name	Borough		District
Print Parent/Guardian's Name	<b>SIGN HERE</b> →		Parent/Guardian's Signature
Parent/Guardian's Email	Date Signed ___/___/_____		
Parent/Guardian's Address	Parent/Guardian's Address		
Telephone Numbers: Daytime (____)____-____ Home (____)____-____ Cell Phone (____)____-____			
Alternate Emergency Contact's Name	Relationship to Student	Contact Telephone Number (____)____-____	

#### For Office of School Health Use Only

OSIS Number: \_\_\_\_\_

504    IEP    Other

Received by: Name \_\_\_\_\_

Date \_\_\_/\_\_\_/\_\_\_\_\_

Reviewed by: Name \_\_\_\_\_

Date \_\_\_/\_\_\_/\_\_\_\_\_

Services provided by:

Nurse/NP

OSH Public Health Advisor (For supervised students only)

School Based Health Center

Signature and Title (RN OR MD/DO/NP): \_\_\_\_\_

Revisions per OSH after consultation with prescribing health care practitioner \_\_\_\_\_

Modified

Not Modified

**DIABETES MEDICATION ADMINISTRATION FORM ADDENDUM**

Provider Medication Order Form – Office of School Health – School Year **2019-2020**

**DUE: May 31<sup>st</sup>. Forms submitted after May 31<sup>st</sup> may delay processing for new school year. Please fax all DMAFs to 347-396-8932/8945.**

Student Last Name	First Name	MI	Date of birth _ / _ / _	<input type="checkbox"/> Male	OSIS #
School (include ATSDBN/name, address and borough)			DOE District	<input type="checkbox"/> Female	-----
				Grade	Class

**CONTINUOUS GLUCOSE MONITORING (CGM) ORDERS**

For CGM's used to replace finger stick bG readings, only devices FDA approved for use and age may be used within the limits of the manufacturer's protocol. For any CGMs:

- 1) If the reading is not consistent with symptoms, a bG reading will be done.
- 2) School nurses may not monitor CGM values remotely. Nurses and school staff may not monitor a CGM on a personal device. If a student has an assigned para-professional, the para may monitor the CGM via the device's receiver.
- 3) Families are responsible for calibrating the CGM and changing the sensor in accordance with the device's manufacturer's protocols.
- 4) Families are responsible for notifying the school nurse if a sensor is not reliable (e.g. student took acetaminophen and uses Dexcom G5)

**Name and Model of CGM:** \_\_\_\_\_

For CGM used for insulin dosing: finger stick bG will be done when: the symptoms don't match the CGM readings; if there is some reason to doubt the sensor (i.e. for readings <70 mg/dL or sensor does not show both arrows and numbers)

FDA approved CGM to be used for insulin dosing and monitoring

**sG Monitoring** (sG = sensor glucose): Specify times to check sensor reading  Breakfast  Lunch  Snack  Gym  PRN

For sG <70mg/dl check bG and follow orders on DMAF, unless otherwise ordered below.

Use CGM grid below OR  See attached CGM instruction

CGM reading	Arrows	Action
sG < 60 mg/dl	Any arrows	Treat hypoglycemia per bG hypoglycemia plan; Recheck in 15-20 min. If still < 70 mg/dl check bG.
sG 60-70 mg/dl	and ↓, ↓↓, ↘ or →	Treat hypoglycemia per bG hypoglycemia plan; Recheck in 15-20 min. If still < 70 mg/dl check bG.
sG 60-70 mg/dl	and ↑, ↑↑, or ↗	If symptomatic, treat hypoglycemia per bG hypoglycemia plan; if not symptomatic, recheck in 15-20 minutes. If still <70 mg/dl check bG.
sG >70 mg/dl	Any arrows	Follow bG DMAF orders for insulin dosing
sG ≤ 120 mg/dl pre-gym or recess	and ↓, ↓↓	Give 15 gms uncovered carbs. If gym or recess is immediately after lunch, subtract 15 gms of carbs from lunch carb calculation.
sG ≥ 250	Any arrows	Follow bG DMAF orders for treatment and insulin dosing

For student using CGM, wait 2 hours after meal before testing ketones with hyperglycemia.

**Check sG before dismissal**

For sG values < \_\_\_mg/dl treat for hypoglycemia if needed, and give \_\_\_ gm carb snack before dismissed

For sG values < \_\_\_mg/dl treat for hypoglycemia if needed, and do not send on bus/mass transit, parent to pick up from school.

**PARENTAL INPUT INTO INSULIN DOSING**

Parent(s)/Guardian(s) (give name), \_\_\_\_\_, may provide the nurse with information relevant to insulin dosing, including dosing recommendations. Taking the parent's input into account, the nurse will determine the insulin dose within the range ordered by the health care practitioner and in keeping with nursing judgment.

Please select **one** option below:

1.  Nurse may adjust calculated dose up or down up to \_\_\_ units based on parental input and nursing judgment.

2.  Nurse may adjust calculated dose up by \_\_\_% or down by \_\_\_% of the prescribed dose based on parental input and nursing judgment

If parental recommendation is significantly different than the dose determined by the nurse, the nurse should contact the ordering health care practitioner for a one time order. If the health care practitioner cannot be immediately reached the nurse will give the lower dose that falls within the health care practitioner's ordered range.

**MUST COMPLETE:** Health care practitioner can be reached for urgent dosing orders at: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

If the parent requests a similar adjustment for more than two days in a row, the nurse will contact the health care practitioner to see if the in school orders need to be revised.

**SLIDING SCALE**

Do NOT overlap ranges (e.g. enter 0-100, 101-200, etc.). If ranges overlap, the lower dose will be given. Use pre-treatment bG to calculate insulin dose unless other orders.

<input type="checkbox"/> Lunch	bG	Units Insulin	<input type="checkbox"/> Other	bG	Units Insulin
<input type="checkbox"/> Snack	Zero -		Time	Zero -	
<input type="checkbox"/> Breakfast	-			-	
<input type="checkbox"/> Correction	-		<input type="checkbox"/> Snack	-	
Dose	-		<input type="checkbox"/> Breakfast	-	
	-		<input type="checkbox"/> Correction	-	
	-		Dose	-	
	-			-	

**OPTIONAL ORDERS**

- Hypoglycemia treatment supplies to be kept in classroom(s).
- Round insulin dosing to nearest whole unit: 0.51-1.50u rounds to 1.00u.
- Round insulin dosing to nearest half unit: 0.26-0.75u rounds to 0.50 u (must have half unit syringe/pen).
- Use sliding scale for correction **AND** at meals ADD: \_\_\_units for lunch; \_\_\_units for snack; \_\_\_units for breakfast (sliding scale must be marked as correction dose only).

**SNACK ORDERS**

- Student may carry and self-administer snack
- Snack time of day: \_\_\_ AM / PM  Pre-gym Snack
- Type & amount of snack: \_\_\_\_\_

Health Care Practitioner Name LAST <small>(Please print and circle one: MD, DO, NP, PA)</small>	FIRST	Signature	Date / /
Address		Tel. (____) _____ - _____	Fax. (____) _____ - _____
NYS License # (Required)	NPI # _____	CDC & AAP recommend annual seasonal influenza vaccination for all children diagnosed with diabetes.	